

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	45	\$2tree and range adj2 specif\$4 with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 18:55
L2	0	\$2tree and range adj2 specif\$4 with key same gap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 18:49
L3	9	\$2tree and range adj2 specif\$4 with key and gap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 18:49
L4	2	\$2tree and range with specif\$4 with key same gap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 18:54
L5	3	\$2tree and range with specif\$4 same key same gap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 18:54
L6	4	\$2tree and range same specif\$4 same key same gap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 18:55
L7	0	\$2tree and "range between key" with "not defined"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 19:23
L8	0	\$2tree and "range between key" with "not" near2 defined	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 19:24

EAST Search History

L9	0	\$2tree and "range between keys" with "not" near2 defined	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 19:24
L10	0	\$2tree and range near2 between near2 keys with "not" near2 defined	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 19:24
L11	20	\$2tree and range near2 between near2 keys	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 19:26
L12	8	\$2tree and gap near2 between near2 keys	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 19:27
L13	22	\$2tree and gap near4 between near4 keys	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 19:27
L15	14	\$2tree and gap near4 between near4 keys not l12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 19:29
L16	7	\$2tree and gap near2 between near2 range	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 19:30
L17	215	\$2tree same between near2 key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 19:30

EAST Search History

L18	85	\$2tree with between near2 key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 19:30
L19	45	\$2tree with between near2 key and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 19:34
L20	603	\$2tree with gap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 19:35
L21	6	\$2tree with gap with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 19:36
L22	12	\$2tree same gap with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 19:37
L23	78	\$2tree and gap with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 19:37
L24	17	\$2tree and gap with key and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 19:40
L26	59	range with gap and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 19:48

EAST Search History

L27	868	b-tree and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 19:49
-----	-----	------------------------	---	----	----	------------------